

Luna


DK Monteringsvejledning
EN Installation instruction
DE Montageanleitung
SE Monteringsanvisning

Art. No: 57011, 57014, 57012, 14001, 57014BR,
VVS: 750071510, 750071505, 750071511,
750071520, 750071523

RSK: 8124016, 8124017


EDITION: 2024-03-14

LAVABO®




Accepterad
monteringsanvisning
2021:1

1. DK Indhold i pakken
EN Contents of the package
DE Inhalt des Pakets
SE Innehållet i förpackningen



- | | |
|----|--|
| DK | Vandlås med højde indstilleligt rør 15-80 mm |
| EN | Water trap with height adjustable pipe 15-80 mm |
| DE | Wasserfalle mit höhenverstellbarem Rohr 15-80 mm |
| SE | Vattenlås med höjddjusterbart rör 15-80 mm |



- | | |
|----|---------------------|
| DK | Rør Ø31,7 x 300 mm |
| EN | Pipe Ø31.7 x 300 mm |
| DE | Rohr Ø31,7 x 300 mm |
| SE | Rör Ø31,7 x 300 mm |




- | | |
|----|---------------------------------------|
| DK | Rosset Ø70 mm / ø31,7 mm x 10 mm |
| EN | Cover Ø70 mm / ø31,7 mm x 10 mm |
| DE | Abdeckkappe Ø70 mm / ø31,7 mm x 10 mm |
| SE | Täcklock Ø70 mm / ø31,7 mm x 10 mm |




- | | |
|----|---------------|
| DK | Gummipakning |
| EN | Rubber gasket |
| DE | Gummidichtung |
| SE | Gummipackning |

2. DK Monterung
 EN Installation
 DE Montage
 SE Monterung



3. DK Rensning af tilstoppet vandlås
EN Cleaning a clogged water trap
DE Reinigung von verstopften Wasserfalle
SE Rengöring av ett igensatt vattenlås



- DK Stil en spand under vandlåsen, tag gummi-
handsker på, og drej bundskruen af med en
mønt.
- EN Place a bucket under the water trap, put on
rubber gloves and unscrew the bottom screw
with a coin.
- DE Stellen Sie einen Eimer unter die Wasserfalle,
ziehen Sie Gummihandschuhe an und
schrauben Sie die untere Schraube mit einer
Münze heraus.
- SE Ställ en hink under vattenlåset, bära gummi-
handskar och skruva loss bottenskruven med
ett mynt.

